FIRE-RATED

FIRE EXTINGUISHER CABINET - COSMOPOLITAN™ FIRE-FX2™ SERIES - Stainless Steel

As a leader in the industry, JL Industries offers a clean and modern stainless steel cabinet: The Cosmopolitan Series. Available in multiple tub sizes designed to be compatible with multiple fire extinguishers. Select from a wide variety of options and accessories, this cabinet will meet all your project needs





C1037F10FX2



C1037G10FX2

SPECIFICATIONS:

Tub Material and Finish:
Recessed & semi-recessed: Steel white powder coat
Trim Material & Finish: 304 Stainless steel #4
Trim Projection: 3/8" flat square, 1-¼" or 1-½" square, 2-½" or 3" rolled
Door Material & Finish: 304 Stainless steel #4
Door Style: Full view
Glazing: .090" Clear acrylic
Insulation: Foil-faced mineral wool
Hinge: Continuous hinge, stainless steel, opens to 180°
Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™
ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-½" trim style do not comply with ADA.

FIRE-RATINGS:

UL classified and labeled up to 2 hours in accordance with UL 1479 (ASTM-E814) and CAN/USC-S115.

OPTIONS:

Tub: 304 stainless steel #4
Door Style: Vertical duo, solid, horizontal duo
Glazing: 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass
Handles: Recessed handle
Alarms: Commander alarm, brigadier alarm, strobe alarm #6 Satin stainless steel, #7 polished stainless steel, #8 mirror stainless steel
Finish: Red, black, other powder coat colors
Lettering: Silkscreen, engraving, etching

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-½" higher than door center, so allow for that when mounting cabinet.
Standard Pull with no lock or flush pull are centered on door.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.

Established 1999 FIRE SAFETY SUPPLY OEM Distributor
800-498-3473
sales@firesafetysupply.net
www.firesafetysupply.net

Distributor:		Project:	
Contractor:		Approved By:	
Date:		Architect:	
Scale: N/A	Page 1 of 3	Item#:	

© 2025 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE-RATED

FIRE EXTINGUISHER CABINET - COSMOPOLITAN™ FIRE-FX2™ SERIES - Stainless Steel

QTY	MODEL & TRIM		ADA	TUB I. D.			TRIM O. D.		WALL ROUGH OPENING*			WT	COMPATIBLE FIRE EXTINGUISHERS
	MODEL	TRIM PROJECTION	≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	LBS	
	C8135	3/8" flat square	✓	9"	18"	5-½"	12-⅜"	21-⅜"	11-5/16"	20-5/16"	6-7/16"	17	Cosmic, Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb
	C8136	1-½" square	✓	9"	18"	5-½"	12-⅜"	21-⅜"	11-5/16"	20-5/16"	5-3/16"	17	
	C8137	2-½" rolled	✓	9"	18"	5-½"	12-⅜"	21-⅜"	11-5/16"	20-5/16"	4"	18	
	C1730	2-¼" square	✓	10-½"	24"	5"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	4"	22	Cosmic, Galaxy Mercury 2.5 - 5 lb
	C1835	3/8" flat square	✓	10-½"	24"	5-½"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	6-7/16"	22	Cosmic/Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb
	C1836	1-½" square	✓	10-½"	24"	5-½"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	5-3/16"	22	
	C1837	3" rolled	✓	10-½"	24"	5-½"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	3-11/16"	22	
	C1832	4" rolled w/ rec hndl	✓	10-½"	24"	5-½"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	2-⅞"	25	
	C1838	4-½" rolled		10-½"	24"	5-½"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	2-3/16"	27	
	C1035	3/8" flat square	✓	10-½"	24"	6"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	6-15/16"	23	Cosmic, Galaxy 2.5 - 10 lb Mercury 2.5 - 5 lb Sentinel 5 lb
	C1036	1-½" square	✓	10-½"	24"	6"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	5-11/16"	23	
	C1037	3" rolled	✓	10-½"	24"	6"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	4"	24	
	C1032	4" rolled w/ rec hndl	✓	10-½"	24"	6"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	3-⅜"	25	
	C1038	4-½" rolled		10-½"	24"	6"	13-⅞"	27-⅜"	12-13/16"	26-5/16"	2-11/16"	26	
	C2035	3/8" flat square	✓	12"	27"	7-¾"	15-⅜"	30-⅜"	14-5/16"	29-5/16"	8-11/16"	29	Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15 lb (mount 15.5 lb to tub) Sentinel 5 - 10 lb Grenadier, Saturn, Nebula 270, 272
	C2036	1-¼" square	✓	12"	27"	7-¾"	15-⅜"	30-⅜"	14-5/16"	29-5/16"	7-11/16"	30	
	C2037	2-½" rolled	✓	12"	27"	7-¾"	15-⅜"	30-⅜"	14-5/16"	29-5/16"	6-7/16"	31	
	C2032	4" rolled w/ rec hndl	✓	12"	27"	7-¾"	15-⅜"	30-⅜"	14-5/16"	29-5/16"	5-⅛"	33	
	C2038	4-½" rolled		12"	27"	7-¾"	15-⅜"	30-⅜"	14-5/16"	29-5/16"	4-7/16"	33	
	C3035	3/8" flat square	✓	16"	32"	7-¾"	19-⅜"	35-⅜"	18-5/16"	34-5/16"	8-11/16"	43	Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15 lb (mount 15.5 lb to tub) Sentinel 5 - 15 lb Grenadier, Saturn Nebula 250-272
	C3036	1-¼" square	✓	16"	32"	7-¾"	19-⅜"	35-⅜"	18-5/16"	34-5/16"	7-11/16"	43	
	C3037	2-½" rolled	✓	16"	32"	7-¾"	19-⅜"	35-⅜"	18-5/16"	34-5/16"	6-7/16"	45	
	C3032	4" rolled w/ rec hndl	✓	16"	32"	7-¾"	19-⅜"	35-⅜"	18-5/16"	34-5/16"	5-⅛"	45	
	C3038	4-½" rolled		16"	32"	7-¾"	19-⅜"	35-⅜"	18-5/16"	34-5/16"	4-7/16"	46	
	C4035	3/8" flat square	✓	20"	27"	7-¾"	23-⅜"	30-⅜"	22-5/16"	29-5/16"	8-11/16"	44	Two each of: Cosmic, Galaxy (FE20C) (mount 20 lb to tub) Mercury 2.5 - 15.5 lb Sentinel 5 lb Grenadier, Saturn
	C4036	1-¼" square	✓	20"	27"	7-¾"	23-⅜"	30-⅜"	22-5/16"	29-5/16"	7-11/16"	44	
	C4037	2-½" rolled	✓	20"	27"	7-¾"	23-⅜"	30-⅜"	22-5/16"	29-5/16"	6-7/16"	45	
	C4032	4" rolled w/ rec hndl	✓	20"	27"	7-¾"	23-⅜"	30-⅜"	22-5/16"	29-5/16"	5-⅛"	46	
	C4038	4-½" rolled		20"	27"	7-¾"	23-⅜"	30-⅜"	22-5/16"	29-5/16"	4-7/16"	47	

Fire-rated specific wall opening

**Confirm wall rough opening depth prior to ordering*



SQUARE TRIM STYLE & PROJECTION

RECESSED	SEMI-RECESSED	
5	6	0
3/8" Flat Square	1-¼" or 1-½" Square	2-¼" Square

ROLLED TRIM STYLE & PROJECTION

SEMI-RECESSED		
7	2	8
2-½" or 3" Rolled	4" Rolled w/ Rec. Hndl	4-½" Rolled

© 2025 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE-RATED

FIRE EXTINGUISHER CABINET - COSMOPOLITAN™ FIRE-FX2™ SERIES - Stainless Steel

	SOLID	FULL VIEW	VERTICAL DUO	HORIZONTAL DUO
STANDARD PULL	S21	F	V	D
				
STANDARD PULL & SAF-T-LOK	L22	G	W	E
				
NO HANDLE & SAF-T-LOK	L24			
				

DOOR/LATCH STYLE

MODEL	DESCRIPTION
F	Full view
G	Full view w SAF-T-LOK™
D	Horizontal duo
E	Horizontal duo w SAF-T-LOK™
V	Vertical duo
W	Vertical duo w SAF-T-LOK™
B	Small view window w SAF-T-LOK™
S	Solid (no glazing)
L	Solid (no glazing) w SAF-T-LOK™

GLAZING/DOOR TYPE

MODEL	DESCRIPTION
10	.09" Clear acrylic
13	1/4" Clear wired glass
15	1/8" Bronze acrylic
16	1/8" Gray acrylic
17	1/8" Clear tempered glass
18	1/4" Clear safety glass
21	No glazing, no lock w pull (S21 only)
22	No glazing w SAF-T-LOK™ w pull (L22 only)
24	No glazing w SAF-T-LOK™ and no pull (L24 only)

HANDLE/LATCH OPTIONS (installed at an additional cost)

MODEL	DESCRIPTION
A	Recessed handle
LH	Lever handle (not avail. with Saf-T-Lok™)

ALARM OPTIONS (installed at an additional cost)

MODEL	DESCRIPTION
CA	Commander
BA	Brigadier
SA	Strobe

MATERIAL OPTIONS

MODEL	DESCRIPTION
F6	#6 Stainless steel finish
F7	#7 Stainless steel finish
F8	#8 Stainless steel finish

FINISH OPTIONS

MODEL	DESCRIPTION
BK	Black door, trim, tub
R	Red door, trim, tub

COLOR - OTHER (please specify)

Door	
Trim	
Tub	

CUSTOM LETTERING OPTIONS (when manufactured at additional cost)

MODEL	DESCRIPTION
SS	Silkscreen
ET	Etching on glass
EN	Engraving on metal

LETTERING - OTHER (please specify)

Other	

Refer to supplemental submittal for more options

HANDLE/LATCH OPTIONS (sold separately)

QTY	MODEL	DESCRIPTION
	PUF	Futura "FIRE" Mill
	PUFR	Futura "FIRE" Red
	PUFW	Futura "FIRE" White
	PUCH	Chrome pull handle

PLASTIC SIGNS (sold separately)

QTY	MODEL	DESCRIPTION
	22S	FE, 3D ANGLE, 4" x 12"
	23S	FE, 3D TENT, 4" x 18"
	24S	FE, 3D TENT, 5" x 6"
	25S	FE, FLUSH, 4" x 12"

LETTERING (sold separately)

QTY	MODEL	"FIRE EXTINGUISHER" DESCRIPTION
	LDCVRFE	DIE CUT, VERT, RED, 3/4" x 18"
	LDCVWFE	DIE CUT, VERT, WHITE, 3/4" x 18"
	LDCVBFE	DIE CUT, VERT, BLACK, 3/4" x 18"
	LDVRFE	DECAL, VERT, RED, 3/4" x 18"
	LDVBFE	DECAL, VERT, BLACK, 3/4" x 18"
	LDVWFE	DECAL, VERT, WHITE, 3/4" x 18"
	LDCVRFE-ESM-A	DIE CUT, VERT, RED, (fits 81 tub), 3/4" x 14"
	LDCHRFE-2	DIE CUT, HORZ, RED, 2" HIGH, 4-½" x 21"
	Other	

Refer to supplemental submittal for more options

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

© 2025 Activar Construction Products Group, Inc.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.