FIRE PROTECTION CROSS REFERENCE CHART

CONTENTS

CABINET SERIES AND STYLES 1
FIRE EXTINGUISHERS 2
FIRE EXTINGUISHER CABINETS: SECURITY/DETENTION 2
FIRE EXTINGUISHER CABINETS: GUARDSMAN LIGATURE RESISTANT SERIES 3
FIRE EXTINGUISHER CABINETS: AMBASSADOR, ACADEMY, & COSMOPOLITAN SERIES 3
FIRE EXTINGUISHER CABINETS: PANORAMA SERIES 4
FIRE EXTINGUISHER CABINETS: CLEAR VU SERIES - BUBBLE 5
FIRE EXTINGUISHER CABINETS: EMBASSY SERIES - TRIMLESS WITH OVERLAPPING DOOR 5
FIRE EXTINGUISHER CABINETS: CAVALIER SERIES 5
FIRE BLANKET CABINETS: ROYAL SERIES 5
FIRE HOSE EQUIPMENT CABINETS 5
FIRE HOSE AND VALVE CABINETS: CROWNLINE SERIES 6
FIRE HOSE AND VALVE CABINETS: CROWNLINE SERIES CONT. 6
FIRE EXTINGUISHER CABINETS: CATO SERIES 7
COMPLIANCE CABINETS: SAMSON SERIES 7
BLANKET & FIRE EXTINGUISHER CABINETS: ROYAL 3600 SERIES 7
FIRE EXTINGUISHER CABINET DOOR STYLES 7
PANORAMA DOOR STYLES 8
FIRE EXTINGUISHER CABINET DOOR GLAZING 8
PANORAMA GLAZING STYLES 8

CABINET SERIES AND STYLES

MODEL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
ADAC DOOR OPTION	Flush Pull	—	Recessed pull	—	-FP door style
AMBASSADOR (— 1 —)	Steel Door & Trim	Standard	Standard	Standard	Alta (steel)
ACADEMY (— 2 —)	Aluminum Door & Trim	-AL	(AL)	—	Alta (aluminum)
COSMOPOLITAN (— 3 —)	Stainless Door & Trim	-SS	(SS)	—	Alta (stainless)
CAVALIER (— 4|5 —)	Bronze/Brass Door & Trim	—	(BZ), (B)	—	Alta (brass only)
PANORAMA (—)(P|Q|C)	Frameless Acrylic Door	—	Gemini	Tonna	Buena
CLASSIC	Surface-Mounted Compliance	—	—	Economy	9000 Series
CLEAR VU	Bubble Door	Canopy	Cameo	—	Loma
EMBASSY	Overlapping Door	—	Occult	—	Dana
FIRE-FX2 ™	Fire-Rated Cabinet	FR-	Flame-Shield ®	(field-assembled)	FRC
SAF-T-LOK ™	Non-Breakglass Cabinet Lock	BK-Lok	Larsen-Loc ®	Lo	Break Rite ®

JL INDUSTRIES CATO
800-554-6077
sales@activarcpg.com
www.activarcpg.com
9702 Newton Ave S. Bloomington, MN 55431 | Many Locations Across North America

The following comparisons should be used for cross-reference purposes only. These charts are designed to enable you to quote our products when a competitor's unit is being specified. In no way should their product be considered exactly equal to ours.

NOTE: In particular, always check required wall depths

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE EXTINGUISHERS

MODEL		DESCRIPTION	FIRE END & CROKER	LARSEN'S		MODERN METAL	POTTER ROEMER	
EXTINGUISHER	OPTIONAL BRACKET		EXTINGUISHER	EXTINGUISHER	BRACKET	EXTINGUISHER	EXTINGUISHER	BRACKET
COSMIC 2-½ E	MB817C OR MB817A	Multi-Purpose Chemical	4002	MP 2-½	860	Wing 3N K	3002	—
COSMIC 5E	MB818C OR MB818A		4004	MP5	818, 821, 862	5H B	3005	3901, 3909
COSMIC 5X	MB818A		4005	MP5-A	818, 821, 862	5H B	3005-3	3901, 3910
COSMIC 6E	MB808A		4008	MP6	808, 862	—	3006	3902
COSMIC 10E	MB846C OR MB846A		4010	MP10	846, 862	10H B	3010	3903, 3910
COSMIC 20E	MB811C OR MB810A		4020	MP20	864	20H B	3020	3904
GALAXY 2-½	MB817C OR MB817A	Regular Dry Chemical	4302	DC 2-½	860	Center 3N K	3302	—
GALAXY 5	MB818A		—	DC5	818, 821, 862	—	3305	3901
GALAXY 5-½	MB818C OR MB818A		4305	—	—	—	3305-3	3910
GALAXY 6	MB808A		—	DC6	808, 862	6H K	3306	3902
GALAXY 10	MB846C OR MB846A		4310	DC10	846, 862	10H K	3310	3903
GALAXY 20	MB810C OR MB810A		4320	DC20	864	—	3320	3904
MERCURY 2-½	MB817C OR MB817A	Halotron® Clean Agent	4132	HT 2-½	860	—	3102	—
MERCURY 5	MB818C OR MB818A		4135	HT5	860	—	3105	—
MERCURY 11	MB810C OR MB812A		4137	HT11	—	—	3111	—
MERCURY 15-½	MB810C OR MB812A		4139	HT 15-½	—	—	3115	—
SENTINEL 5	MB809C OR MB809A	Carbon-Dioxide CO2	4405	CD5	862	5HH K	3405	3910
SENTINEL 10	MB810C OR MB810A		4410	CD10	—	10HH B	3410	3904
SENTINEL 15	MB810C OR MB864A		4415	CD15	864	15HH K	3415	3904
SENTINEL 20	MB811C OR MB811A		4420	CD20	864	20HH K	3420	3905
SATURN 15	MB810C OR MB810A	Class K Wet Chemical	4834	WC-6L	B1	—	3260	—
SATURN 25	MB810C OR MB810A		—	—	864	—	3262	—
PURPLE K 2-½	MB817C	Purple K Dry Chemcial	—	—	—	—	3302-PK	—
PURPLE K 5	MB818C		—	—	—	—	3305-PK	—
PURPLE K 10	MB846C		—	—	—	—	3310-PK	—
PURPLE K 20	MB811C		—	—	—	—	3320-PK	—
GRENADIER P	MB810	Pressurized Water	4202	PW 2-½	864	GI K	3202	3904
NEBULA 270	FE270A	Water Mist	—	—	—	—	3270	—
NEBULA 272	FE272A		4206	WM 2-½	864	—	3272	—
NEBULA 250	FWM250C		—	—	—	—	—	—

FIRE EXTINGUISHER CABINETS: SECURITY/DETENTION

MODEL	PREVIOUS MODEL	DESCRIPTION	TRIM	LARSEN'S	POTTER ROEMER
CSF1015	SFC-11	Fire Extinguisher Cabinets	Flat	DEC2409-R	DC-1704-F
CSF1010	SFC-12		2-½" Square	DEC2409-R4 (3-½")	—
CSF1013	SFC-13		Surface	DEC2409-SM	DC-1754-F
CSF2015	SFC-15		Flat	DEC2712-R	DC-1706-F
CSF2010	SFC-16		2-½" Square	—	—
CSF2013	SFC-17		Surface	DEC2712-SM	DC-1756-F
CSF8515	SVC-11	Valve Cabinets	Flat	DVC1818-R	DC-1810-F
CSF8510	SVC-12		2-½" Square	—	—
CSF8513	SVC-13		Surface	DVC1818-SM	DC-1815-F
CSF6515	SHC-11	Hose Cabinets	Flat	DHC3234-R	—
CSF6510	SHC-12		2-½" Square	—	—
CSF6513	SHC-13		Surface	DHC3234-SM	—

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE EXTINGUISHER CABINETS: GUARDSMAN LIGATURE RESISTANT SERIES

MODEL	DESCRIPTION	WHITE HALL	OVAL
CL1015	Flat	WH1704	CRLRST
CL1017	3"	WH1724	—
CL1013	Surface Mount	WH1754	CSLRS

FIRE EXTINGUISHER CABINETS: AMBASSADOR, ACADEMY, & COSMOPOLITAN SERIES

MODEL			DESCRIPTION	FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER		
STEEL	ALUMINUM	STAINLESS					STEEL	ALUMINUM	STAINLESS
8114	—	—	None	1606	—	—	—	—	—
8115	**8125**	**8135**	Flat	1600	—	101R1	7007	7037	7057
8116	**8126**	**8136**	1-½" Square	1601	—	101SR2	—	—	—
8117	**8127**	**8137**	2-½" Rolled	1602	—	101SR3	7008-RR	7038-RR	7058-RR
8113	**8123**	**8133**	Surface Mount	1608	—	101SM	7009	7039	7059
1815	**1825**	**1835**	Flat	—	—	1025R1	7010	7030	7050
1816	**1826**	**1836**	1-½" Square	—	2409-5R	1025SR2	7012	7032	7052
1817	**1827**	**1837**	3" Rolled	—	2409-R3	1025SR3	7013-RR	7033-RR	7053-RR
1812	**1822**	**1832**	4" Rolled	—	—	—	—	—	—
1818	**1828**	**1838**	4-½" Rolled	—	—	—	—	—	—
1014	—	—	None	1616	2409-RT	—	7021	7041	7061
1015	**1025**	**1035**	Flat	1610	2409-R2	1026R1	7020	7040	7060
1016	**1026**	**1036**	1-½" Square	1611	2409-R7	1026SR2	7022	7042	7062
1017	**1027**	**1037**	3" Rolled	1613	2409-6R	1026SR3	7023-RR	7043-RR	7063-RR
1012	**1022**	**1032**	4" Rolled	1614	2409-RA	—	—	—	—
1018	**1028**	**1038**	4-½" Rolled	1615	2409-RM	1026SR4			
1013	**1023**	**1033**	Surface Mount	1618	2409-SM	1026SM	7024	7044	7064
2014	—	—	None	1626	2712-RT	—	7026	7046	7066
2015	**2025**	**2035**	Flat	1620	2712-R	104R1	7025	7045	7065
2016	**2026**	**2036**	1-¼" Square	1621	2712-RK	104SR2	—	—	—
2017	**2027**	**2037**	2-½" Rolled	1622	2712-RL	104SR3	7027-RR	7047-RR	7067-RR
2012	**2022**	**2032**	4" Rolled	1624	2712-RA	—	—	—	—
2018	**2028**	**2038**	4-½" Rolled	—	2712-RM	104SR4	7028-RR	7048-RR	7068-RR
2013	**2023**	**2033**	Surface Mount	1628	2712-SM	104SM	7029	7049	7069
—	—	—	Flat	—	3012-R	—	—	—	—
—	—	—	1-¼" Square	—	3012-RK	—	—	—	—
—	—	—	2-½" Rolled	—	3012-RL	—	—	—	—
—	—	—	4" Rolled	—	3012-RA	—	—	—	—
—	—	—	4-½" Rolled	—	3012-RM	—	—	—	—
—	—	—	Surface Mount	—	3012-SM	—	—	—	—
3015	**3025**	**3035**	Flat	1630	M3216-R	105R1	—	—	—
3016	**3026**	**3036**	1-¼" Square	1631	M3216-RK	105SR2	—	—	—
3017	**3027**	**3037**	2-½" Rolled	1632	M3216-RL	105SR3	—	—	—
3012	**3022**	**3032**	4" Rolled	1634	M3216-RA		—	—	—
3018	**3028**	**3038**	4-½" Rolled	1635	M3216-RM	105SR4	—	—	—
3013	**3023**	**3033**	Surface Mount	1638	M3216-SM	105SM	—	—	—
—	—	—	Flat	—	3612-R	—	—	—	—
—	—	—	1-¼" Square	—	3612-RK	—	—	—	—
—	—	—	2-½" Rolled	—	3612-RL	—	—	—	—
—	—	—	4" Rolled	—	3612-RA	—	—	—	—
—	—	—	4-½" Rolled	—	3612-RM	—	—	—	—
—	—	—	Surface Mount	—	3612-SM	—	—	—	—
4015	**4025**	**4035**	Flat	1640	2720-R	—	—	—	—
4016	**4026**	**4036**	1-¼" Square	1641	2720-RK	—	—	—	—
4017	**4027**	**4037**	2-½" Rolled	1642	2720-RL	—	—	—	—
4012	**4022**	**4032**	4" Rolled	1644	2720-RA	—	—	—	—
4018	**4028**	**4038**	4-½" Rolled	1645	2720-RM	—	—	—	—
4013	**4023**	**4033**	Surface Mount	1648	2720-SM	—	—	—	—

** standard steel, for AL for aluminum, SS for stainless steel*

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE EXTINGUISHER CABINETS: PANORAMA SERIES

MODEL			DESCRIPTION	LARSEN'S*	MODERN METAL	POTTER ROEMER		
STEEL	ALUMINUM	STAINLESS				STEEL	ALUMINUM	STAINLESS
1815 (P|Q|C)	1825 (P|Q|C)	1835 (P|Q|C)	Flat	G2409-R1	T1025R1	7110	7130	7150
1816 (P|Q|C)	1826 (P|Q|C)	1836 (P|Q|C)	1-½" Square	G2409-5R	T1025SR2	—	—	—
1817 (P|Q|C)	1827 (P|Q|C)	1837 (P|Q|C)	3" Rolled	G2409-R3	T1025SR3	7112-RR	7132-RR	7152-RR
1812 (P|Q|C)	1822 (P|Q|C)	1832 (P|Q|C)	4" Rolled	—	—	—	—	—
1818 (P|Q|C)	1828 (P|Q|C)	1838 (P|Q|C)	4-½" Rolled	—	—	7113	7133	7153
1014	—	—	None	G2409-RT	T1026R1	7121	7141	7161
1015	1025	1035	Flat	G2409-R2	T1026SR2	7120	7140	7160
1016	1026	1036	1-½" Square	G2409-R7	T1026SR3	—	—	—
1017	1027	1037	3" Rolled	G2409-6R	—	7122-RR	7142-RR	7162-RR
1012	1022	1032	4" Rolled	G2409-RA	T1026SR4	—	—	—
1018	1028	1038	4-½" Rolled	G2409-RM	T1026SM	—	—	—
1013	1023	1033	Surface Mount	G2409-SM	T1026SR4	7124	7144	7164
2014	—	—	None	G2712-RT	—	7126	7146	7166
2015	2025	2035	Flat	G2712-R	T104R1	7125	7145	7165
2016	2026	2036	1-¼" Square	G2712-RK	T104R2	—	—	—
2017	2027	2037	2-½" Rolled	G2712-RL	T104R3	7127-RR	7147-RR	7167-RR
2012	2022	2032	4" Rolled	G2712-RA	—	—	—	—
2018	2028	2038	4-½" Rolled	G2712-RM	T104SR4	7128-RR	7148-RR	7168-RR
2013	2023	2033	Surface Mount	G2712-SM	T104-SM	7129	7149	7169
—	—	—	Flat	G3012-R	—	—	—	—
—	—	—	1-¼" Square	G3012-RK	—	—	—	—
—	—	—	2-½" Rolled	G3012-RL	—	—	—	—
—	—	—	4" Rolled	G3012-RA	—	—	—	—
—	—	—	4-½" Rolled	G3012-RM	—	—	—	—
—	—	—	Surface Mount	G3012-SM	—	—	—	—
3015	3025	3035	Flat	GM3216-R	T105R1	—	—	—
3016	3026	3036	1-¼" Square	GM3216-RK	T105SR2	—	—	—
3017	3027	3037	2-½" Rolled	GM3216-RL	T105SR3	—	—	—
3012	3022	3032	4" Rolled	GM3216-RA	—	—	—	—
3018	3028	3038	4-½" Rolled	GM3216-RM	T105SR4	—	—	—
3013	3023	3033	Surface Mount	GM3216-SM	T105SM	—	—	—
—	—	—	Flat	G3612-R	—	—	—	—
—	—	—	1-¼" Square	G3612-RK	—	—	—	—
—	—	—	2-½" Rolled	G3612-RL	—	—	—	—
—	—	—	4" Rolled	G3612-RA	—	—	—	—
—	—	—	4-½" Rolled	G3612-RM	—	—	—	—
—	—	—	Surface Mount	G3612-SM	—	—	—	—
4015	4025	4035	Flat	G2720-R	—	—	—	—
4016	4026	4036	1-¼" Square	G2720-RK	—	—	—	—
4017	4027	4037	2-½" Rolled	G2720-RL	—	—	—	—
4012	4022	4032	4" Rolled	G2720-RA	—	—	—	—
4018	4028	4038	4-½" Rolled	G2720-RM	—	—	—	—
4013	4023	4033	Surface Mount	G2720-SM	—	—	—	—

** standard steel, for AL for aluminum, SS for stainless steel*

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE EXTINGUISHER CABINETS: CLEAR VU SERIES - BUBBLE

MODEL					DESCRIPTION	FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER			
STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS					STEEL	ALUMINUM	STAINLESS	BRASS
1515	1525	1535	1545	1555	Flat	1650	C2409-R	118R1	7320	7340	7360	7380
1516	1526	1536	1546	1556	1-½" Square	1651	C2409-5R	118SR2	7322	7342	7362	7382
1517	1527	1537	1547	1557	3" Rolled	1652	C2409-6R	118SR3	—	—	—	—
1513	1523	1533	1543	1553	Surface Mount	1658	C2409-SM	—	7324	7344	7364	7384
2515	2525	2535	2545	2555	Flat	1660	C3216-R	120R1	7325	7345	7365	7385
2516	2526	2536	2546	2556	1-½" Square	1661	—	120SR2	7327	7347	7367	7387
2517	2527	2537	2547	2557	2-½" Rolled	1662	C3216-RL	120SR3	—	—	—	—
2513	2523	2533	2543	2553	Surface Mount	1668	C3216-SM	—	7329	7349	7369	7389
4515	4525	4535	—	—	Flat	1670	C3228-R	—	—	—	—	—
4513	4523	4533	—	—	Surface Mount	1678	C3228-SM	—	—	—	—	—

** standard steel, for AL for aluminum, SS for stainless steel*

FIRE EXTINGUISHER CABINETS: EMBASSY SERIES - TRIMLESS WITH OVERLAPPING DOOR

MODEL					LARSEN'S*	POTTER ROEMER			
STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS		STEEL	ALUMINUM	STAINLESS	BRASS
5614	5624	5634	5644	5654	O-2409	7220	7240	7260	7280
5714	5724	5734	5744	5754	O-3216	7225	7245	7265	7285
5814	5824	5834	5844	5854	O-3232	—	—	—	—
5914	5924	5934	—	—	O-4016	8225	8245	8265	—
5514	5524	5534	—	—	O-1818	8220	8240	8260	—

** standard steel, for AL for aluminum, SS for stainless steel*

FIRE EXTINGUISHER CABINETS: CAVALIER SERIES

MODEL		DESCRIPTION	LARSEN'S		POTTER ROEMER
BRONZE	BRASS		BRONZE	BRASS	BRASS
1845	1855	Flat	BZ2409-R1	B2409-R1	7070
1846	1856	1-½" Square	BZ2409-5R	B2409-5R	—
1847	1857	3" Rolled	BZ2409-R3	B2409-R3	7072-RR
1045	1055	Flat	BZ2409-R2	B2409-R2	7080
1046	1056	1-½" Square	BZ2409-R7	B2409-R7	—
1047	1057	3" Rolled	BZ2409-6R	B2409-6R	7082-RR
1043	1053	Surface Mount	BZ2409-SM	B2409-SM	7084
2045	2055	Flat	BZ2712-R	B2712-R	7085
2046	2056	1-½" Square	BZ712-RK	B712-RK	—
2043	2053	Surface Mount	—	—	7089

FIRE BLANKET CABINETS: ROYAL SERIES

MODEL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
9519S21	Surface Mount	BZ2409-R1	FB68-6	—	6601
9613S21		BZ2409-5R	FB1016	601-B	6603

FIRE HOSE EQUIPMENT CABINETS

MODEL		DESCRIPTION	FIRE END & CROKER	LARSEN'S	POTTER ROEMER
STEEL	GALVANIZED STEEL				
HECIRL	HECIGL	54" (With 12" legs)	7022	—	6030-PL (18" Legs)
HECIR	HECIG	42" (Without legs)	7020	15-58	6030

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE HOSE AND VALVE CABINETS: CROWNLINE SERIES

MODEL			DESCRIPTION	FIRE END & CROKER*	LARSEN'S*	POTTER ROEMER
STEEL	ALUMINUM	STAINLESS				
6014	—	—	None	1006	—	1012
6015	6025	6035	Flat	1000	—	1002
6016	6026	6036	1-¼" Square	1001	—	—
6017	6027	6037	2-½" Rolled	1002	—	1022-RR
6013	6023	6033	Surface Mount	1008	—	1052
6114	—	—	None	1106	VC2430-RT	1112
6115	6125	6135	Flat	1100	VC2430-R	1102
6116	6126	6136	1-¼" Square	1101	VC2430-RK	—
6117	6127	6137	2-½" Rolled	1102	VC2430-RL	1122-RR
6113	6123	6133	Surface Mount	1108	VC2430-SM	1152
6214	—	—	None	1016	—	1014
6215	6225	6235	Flat	1010	—	1004
6216	6226	6236	1-¼" Square	1011	—	—
6217	6227	6237	2-½" Rolled	1012	—	1024-RR
6213	6223	6233	Surface Mount	1018	—	1054
6314	—	—	None	—	HC3030-RT	1412
6315	6325	6335	Flat	—	HC3030-R	1402
6316	6326	6336	1-¼" Square	—	HC3030-RK	—
6317	6327	6337	2-½" Rolled	—	HC3030-RL	1432-RR
6313	6323	6333	Surface Mount	—	HC3030-SM	1452
6414	—	—	None	1116	HC2434-RT	1114/1214
6415	6425	6435	Flat	1110	HC2434-R	1104/1204
6416	6426	6436	1-¼" Square	1111	HC2434-RK	—
6417	6427	6437	2-½" Rolled	1112	HC2434-RL	1124-RR/1224-RR
6413	6423	6433	Surface Mount	1118	HC2434-SM	1154/1254
6514	—	—	None	1306,1406	HC3234-RT	1414/1514
6515	6525	6535	Flat	1300,1400	HC3234-R	1404/1504
6516	6526	6536	1-¼" Square	1301,1401	HC3234-RK	—
6517	6527	6537	2-½" Rolled	1302,1402	HC3234-RL	1434-RR/1534-RR
6513	6523	6533	Surface Mount	1308,1408	HC3234-SM	1454/1554
6614	—	—	None	1126/1206	HC2438-RT	1116/1216
6615	6625	6635	Flat	1120/1200	HC2438-R	1106/1206
6616	6626	6636	1-¼" Square	1121/1201	HC2438-RK	—
6617	6627	6637	2-½" Rolled	1122/1202	HC2438-RL	1126-RR/1226-RR
6613	6623	6633	Surface Mount	1128/1208	HC2438-SM	1156/1256
7214	—	—	None	1216/1316/1416	HC3238-RT	1416/1516
7215	7225	7235	Flat	1210/1310/1410	HC3238-R	1406/1506
7216	7226	7236	1-¼" Square	1211/1311/1411	HC3238-RK	—
7217	7227	7237	2-½" Rolled	1212/1312/1214	HC3238-RL	1436-RR/1536-RR
7213	7223	7233	Surface Mount	1218/1318/1418	HC3238-SM	1456/1556

FIRE HOSE AND VALVE CABINETS: CROWNLINE SERIES CONT.

MODEL			DESCRIPTION	FIRE END & CROKER	LARSEN'S*	POTTER ROEMER		
STEEL	ALUMINUM	STAINLESS				STEEL	ALUMINUM	STAINLESS
8014	—	—	None	1776	VC4016-RT	8026	8046	8066,1871
8015	8025	8035	Flat	1770	VC4016-R	8025	8045	8065,1870
8016	8026	8036	1-¼" Square	1771	VC4016-RK	—	—	—
8017	8027	8037	2-½" Rolled	1772	VC4016-RL	8027-RR	—	—
8013	8023	8033	Surface Mount	1778	VC4016-SM	8029	8049	8069,1875
8414	—	—	None	1716	—	—	—	—
8415	8425	8435	Flat	1710	—	—	—	—
8416	8426	8436	1-¼" Square	1711	—	—	—	—
8417	8427	8437	2-½" Rolled	1712	—	—	—	—
8413	8423	8433	Surface Mount	1718	—	—	—	—
8514	—	—	None	1706	VC1818-RT	8021	8041	8061,1811
8515	8525	8535	Flat	1700	VC1818-R	8020	8040	8060,1810
8516	8526	8536	1-¼" Square	1701	VC1818-RK	—	—	—
8517	8527	8537	2-½" Rolled	1702	VC1818-RL	8022-RR	8042-RR	8062-RR,1812-RR
8513	8523	8533	Surface Mount	1708	VC1818-SM	8024	8044	8064,1815
8614	—	—	None	1726	—	1831		
8615	8625	8635	Flat	1720	—	1830		
8616	8626	8636	1-¼" Square	1721	—	—	—	—
8617	8627	8637	2-½" Rolled	1722	—	1832-RR		
8613	8623	8633	Surface Mount	1728	—	1835		
8614	—	—	None	—	VC2626-RT	—	—	—
8615	8625	8635	Flat	—	VC2626-R	—	—	—
8616	8626	8636	1-¼" Square	—	VC2626-RK	—	—	—
8617	8627	8637	2-½" Rolled	—	VC2626-RL	—	—	—
6613	6623	6633	Surface Mount	—	VC2626-SM	—	—	—

** standard steel, for AL for aluminum, SS for stainless steel*

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

FIRE EXTINGUISHER CABINETS: CATO SERIES

MODEL	PREVIOUS MODEL	DESCRIPTION	BROOKS
105-5	—	Cato Chief	FT5P_
105-10	—		FT10P_
105-20	—		FT20P_
95-5	ABS 16 & ABS 20	Cato Warrior	M2J
95-10	ABS 24		

COMPLIANCE CABINETS: SAMSON SERIES

MODEL		DESCRIPTION	MODERN METAL
GALVANIZED STEEL	ALUMINUM		STEEL
9163Z30	**9123Z30**	Surface Mount	510SMG
916AZ30	**912AZ30**	2-¾" Trim Flange	510SR
9263Z30	**9223Z30**	Surface Mount	530SMG
926AZ30	**922AZ30**	2-¾" Trim Flange	530SR
936AZ30	**932AZ30**	4-½" Trim Flange	—
9363Z30	**9323Z30**	Surface Mount	550SMG

BLANKET & FIRE EXTINGUISHER CABINETS: ROYAL 3600 SERIES

MODEL			DESCRIPTION	LARSEN'S*	POTTER ROEMER
STEEL	ALUMINUM	STAINLESS			
3615	**3625**	**3635**	Flat	FB3612-R	6605
3616	**3626**	**3636**	1-½" Square	FB3612-RK	—
3617	**3627**	**3637**	2-½" Rolled	FB3612-RL	6607-RR
3612	**3622**	**3632**	4" Rolled	FB3612-RA	—
3618	**3628**	**3638**	4-½" Rolled	FB3612-RM	—
3613	**3623**	**3633**	Surface Mount	FB3612-SM	6609

** standard steel, for AL for aluminum, SS for stainless steel*

FIRE EXTINGUISHER CABINET DOOR STYLES: AMBASSADOR, ACADEMY, COSMOPOLITAN, CAVALIER, CROWNLINE

MODEL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
B10	Solid w/acrylic insert & SAF-T-LOK™	SBG	—	—	-E
D	Horiz. Duo panel w/pull handle	D	Horizontal duo	Duo	-D
E	Horiz. Duo panel w/pull & SAF-T-LOK™	D w/lock	Horz. duo w/Larsen-Loc®	—	-D w/BK
F	Full glass w/ pull handle	A	Full panel	Full glass	-A
G	Full glass w/pull & SAF-T-LOK™	A w/lock	Full panel w/Larsen-Loc®	Break glass	-B
L22	Solid w/pull & SAF-T-LOK™, no glazing	E w/lock	Solid w/Larsen-Loc®	—	-FS
S21	Solid w/pull, no glazing (except Embassy)	E	Solid	Solid	-F
V	Vertical Duo Panel w/pull handle	DV	Vertical duo	Vertical duo	-DV
W	Vertical Duo Panel w/pull & SAF-T-LOK™	DV w/lock	Vert. duo w/Larsen-Loc®	—	-DVL

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

PANORAMA DOOR STYLES

MODEL	DESCRIPTION	LARSEN'S	MODERN METAL	POTTER ROEMER
C70	Clear polycarbonate with pull	Clear no letters	Clear	Buena A16
C71	Clear polycarbonate with pull & SAF-T-LOK™	Clear no letters, Larsen-Loc®	Clear with lock	Buena E16
P	Colored acrylic with pull	Colored w/letters	Clear w/letters	A (17-20)
Q	Colored acrylic with pull & SAF-T-LOK™	Colored letters, Larsen-Loc®	Clear letters, lock	E (17-20)

FIRE EXTINGUISHER CABINET DOOR GLAZING

MODEL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
10	Clear acrylic	Clear acrylic	Clear acrylic	Clear acrylic	- 6, Clear acrylic
13	Clear wired glass with safety film	Clear wire w/safety film	Clear wire	Clear wire	—
15	1/4" bronze acrylic	—	Bronze acrylic	Bronze acrylic	- 7, Amber acrylic
16	1/4" gray acrylic	—	Gray acrylic	Gray acrylic	- 9, Smoke acrylic
17	Clear tempered glass	Clear temp glass	Clear temp.	Tempered glass	Clear temp (std)
18	Clear safety glass	Laminated safety glass	Safety glass	—	Safety glass
25	Clear Bubble (15, 25,45 size)	Clear	Clear bubble	—	BA6
26	Clear Red Bubble (15 size)	Specify	Red bubble	—	—
27	Clear Bronze Bubble (15, 25, 45 size)	Specify	Bronze bubble	—	BA7

PANORAMA GLAZING STYLES

MODEL	DESCRIPTION	LARSEN'S	MODERN METAL	POTTER ROEMER
40	3/16" Black acrylic with white "V" letter	Black w/white "V"	W-B, vertical	—
41	3/16" Red acrylic with white "V" letter	Red w/white "V"	W-R, vertical	20-VW
42	3/16" White acrylic with black "V" letter	White w/black "V"	B-W, vertical	18-VB
43	3/16" White acrylic with red "V" letter	White w/red "V"	R-W, vertical	18-VR
45	3/16" Black acrylic with white "H" letter	Black w/white "H"	W-B, horizontal	—
46	3/16" Red acrylic with white "H" letter	Red w/white "H"	W-R, horizontal	20-HW
47	3/16" White acrylic with black "H" letter	White w/black "H"	B-W, horizontal	18-HB
48	3/16"White acrylic with red "H" letter	White w/red "H"	R-W, horizontal	18-HR
50	3/16" Black acrylic with white "A" letter	Black w/white "A"	—	—
51	3/16"Red acrylic with white "A" letter	Red w/white "A"	—	20-VAW
52	3/16' White acrylic with black "A" letter	White w/black "A"	—	18-VAB
53	3/16" White acrylic with red "A" letter	White w/red "A"	—	18-VAR
70	Clear 1/4" polycarbonate	Clear	Clear	Buena A16
71	Clear 1/4" polycarbonate with SAF-T-LOK™	Clear, Larsen-Loc	Clear with lock	Buena E16

© 2026 Activar Construction Products Group, Inc.
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.