

MATERIAL SAFETY DATA SHEET

by Tyco Fire Suppression & Building Products

SPILL-X-A

Issue Date: 07-30-2010 Product Code: 2031-2-000 ANa

1. Product and Company Identification

Material name SPILL-X-A

Version # 01

Revision date 07-30-2010 CAS# Mixture

Product Code 2031-2-000 ANa Product use Spill control agent

Manufacturer / Importer /

Supplier

Name Tyco Fire Suppression and Building Products

One Stanton Street **Address**

Marinette, WI 54143-2542

715-735-7411 Phone Internet http://www.ansul.com

Emergency Phone Number CHEMTREC 800-424-9300 or 703-527-3887

2. Hazards Identification

Emergency overview WARNING

Irritating to eyes. Prolonged exposure may cause chronic effects. Exposure to powder or dusts

may be irritating to eyes, nose and throat.

OSHA regulatory status

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

Eye contact. Skin contact. Inhalation. Ingestion. Routes of exposure

Eyes Avoid contact with eyes. Dust or powder may irritate eye tissue.

Skin Avoid contact with the skin.

Do not breathe dust. Inhalation of dusts may cause respiratory irritation. Inhalation

Ingestion Not a likely route of entry. Do not ingest. **Target organs** Eves. RESPIRATORY SYSTEM. Skin.

Chronic effects Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Signs and symptoms Irritation of eyes and mucous membranes. Upper respiratory tract irritation. Skin irritation.

3. Composition / Information on Ingredients

Components	CAS#	Percent
sodium carbonate	497-19-8	2.5 - 10
MAGNESIUM OXIDE	1309-48-4	60 - 80
Other components below reportable levels		10 - 20

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

Skin contact Wash off with warm water and soap. Get medical attention if irritation develops and persists.

Inhalation Move to fresh air. Get medical attention, if needed.

Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting Ingestion

occurs, keep head low so that stomach content doesn't get into the lungs.

Notes to physician Symptoms may be delayed.

Material name: SPILL-X-A MSDS US

1486 Version #: 01 Revision date: 07-30-2010 SC-8667

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

No unusual fire or explosion hazards noted. Flammable properties

Extinguishing media

Suitable extinguishing

media

This product is not flammable. Use extinguishing agent suitable for type of surrounding fire.

Protection of firefighters

Specific hazards arising from the chemical

None known.

Hazardous combustion

products

Carbon monoxide and carbon dioxide.

6. Accidental Release Measures

Personal precautions Avoid inhalation of dust from the spilled material. Wear a dust mask if dust is generated above

exposure limits.

Prevent further leakage or spillage if safe to do so. Do not contaminate water. **Environmental precautions**

Methods for containment

If sweeping of a contaminated area is necessary use a dust suppressant agent which does not

react with the product. Prevent entry into waterways, sewer, basements or confined areas. Methods for cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using

a vacuum cleaner equipped with HEPA filter. Avoid dust formation. Following product recovery,

flush area with water.

Other information Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling Keep formation of airborne dusts to a minimum. Do not breathe dust. Avoid contact with eyes. Do

not use in areas without adequate ventilation. Wear personal protective equipment. Wash

thoroughly after handling.

Store in a well-ventilated place. Keep container tightly closed. Guard against dust accumulation of Storage

this material. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components Value **Form** Type MAGNESIUM OXIDE (1309-48-4) TWA 10.0000 mg/m3 Inhalable fraction.

U.S. - OSHA

Components Value **Form** Type PEL MAGNESIUM OXIDE (1309-48-4) 15.0000 mg/m3 Total particulate. **TWA** 10.0000 mg/m3 Total particulate.

Ensure adequate ventilation, especially in confined areas. **Engineering controls**

Personal protective equipment

Eye / face protection Avoid contact with eyes. Use tight fitting goggles if dust is generated.

Wear appropriate chemical resistant clothing. Chemical resistant gloves. Wear protective gloves. Skin protection

Wear respirator with dust filter. Respiratory protection

Do not breathe dust. Avoid contact with eyes. Avoid contact with skin. Keep away from food and General hygiene

considerations drink. Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance

Form Powder. Color Red.

Material name: SPILL-X-A MSDS US

Odorless. Odor Solid. Physical state

Not available. Ηq **Melting point** Not available.

Freezing point Not available. Not available. **Boiling point** Not available. Flash point Not available. Evaporation rate

Flammability limits in air, upper, Not available.

% by volume

Flammability limits in air, lower, Not available.

% by volume

Not available. Vapor pressure Vapor density Not available. Specific gravity Not available. Not available. Relative density Solubility (water) Not available.

Partition coefficient (n-octanol/water)

Not available

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. VOC

10. Chemical Stability & Reactivity Information

Material is stable under normal conditions. **Chemical stability**

Incompatible materials Hazardous decomposition None known.

products

Carbon oxides.

11. Toxicological Information

Toxicological information The toxicity of this product has not been tested.

Toxicological data

Local effects

Components **Test Results** sodium carbonate (497-19-8)

Acute Inhalation LC50 Guinea pig: 0.8 mg/l 2.00 Hours Acute Inhalation LC50 Mouse: 1.2 mg/l 2.00 Hours Acute Inhalation LC50 Rat: 2.3 mg/l 2.00 Hours Acute Oral LD50 Rat: 4090 mg/kg

Acute Other LD50 Mouse: 116.6 mg/kg 30.00 Days

Contact may irritate or burn eyes. Inhalation of dusts may cause respiratory irritation.

Chronic effects Hazardous by OSHA criteria. Prolonged inhalation may be harmful.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

ACGIH Carcinogens

MAGNESIUM OXIDE (CAS 1309-48-4) A4 Not classifiable as a human carcinogen.

12. Ecological Information

Ecotoxicological data

Components **Test Results** sodium carbonate (497-19-8) EC50 Water flea (Ceriodaphnia dubia): 156.6 - 298.9 mg/l 48.00 hours

LC50 Bluegill (Lepomis macrochirus): 300 mg/l 96.00 hours

Ecotoxicity This material is not expected to be harmful to aquatic life.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Material name: SPILL-X-A MSDS US

13. Disposal Considerations

Disposal instructions This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of waste material according to Local, State, Federal, and

Provincial Environmental Regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

14. Transport Information

DOT

Not regulated as dangerous goods.

15. Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Acute Health - Yes

Chronic Health - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

Section 311 hazardous

chemical

Nο

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Listed.

This product does not contain a chemical known to the State of California to cause cancer, birth

Toxic Substances Control Act (TSCA) Inventory

defects or other reproductive harm.

US - Pennsylvania RTK - Hazardous Substances: Listed substance

MAGNESIUM OXIDE (CAS 1309-48-4)

16. Other Information

State regulations

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1*

Flammability: 0 Physical hazard: 0

Material name: SPILL-X-A MSDS US

1486 Version #: 01 Revision date: 07-30-2010 SC-8667

Yes

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Issue date 07-30-2010

Material name: SPILL-X-A MSDS US

1486 Version #: 01 Revision date: 07-30-2010 SC-8667